

Application No. 10/601,801  
Amendment dated August 29, 2005  
Reply to Office Action dated March 28, 2005

### AMENDMENTS TO THE CLAIMS

#### Listing of Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A method for detecting the presence of at least one volatile organic compound at a temperature lower than the autoignition temperature of said at least one compound in a heated oxidant-containing media comprising the steps of:
  - providing a sensor comprising an uncoated reference thermistor and a coated sensing thermistor, wherein said coating comprises a catalyst comprising platinum and tin oxide;
  - presenting the sensor to the at least one volatile organic compound in the heated oxidant-containing media, and thereby heating the sensor; and
  - measuring the change in temperature of the coated sensing thermistor as compared to the temperature of the reference thermistor, as the at least one volatile organic compound is converted into carbon dioxide and water.
2. (Currently Amended) The method of claim 1 wherein said ~~coating on said sensing thermistor comprises a catalyst comprising~~ comprises at least one additional or more noble metal ~~metals combined with a reducible oxide.~~
3. (Original) The method of claim 1 wherein said coating on said sensing thermistor comprises a catalytic material in powdered, granular, or monolithic form.
4. (Original) The method of claim 1 wherein said at least one volatile organic compound is selected from the group consisting of hydrocarbons and oxygen-containing compounds.
5. (Original) The method of claim 1 wherein said at least one volatile organic compound is selected from the group consisting of methane, ethane, propane, butane, pentane, alcohol, ketone, ether, epoxide, aldehyde, and carboxylic acid.
6. (Original) The method of claim 1 wherein the alcohol is selected from the group consisting of methanol, ethanol, propanol, and isopropyl alcohol.

(U027946:1)

Application No. 10/601,801  
Amendment dated August 29, 2005  
Reply to Office Action dated March 28, 2005

7. (Original) The method of claim 1, wherein the reference thermistor is an uncoated 8 kilo-Ohm thermistor and the coated sensing thermistor is a 8 kilo-Ohm thermistor, and the coating on said coated sensing thermistor comprises a catalytic material which exothermically oxidizes volatile organic compounds to carbon dioxide and water.
8. (Original) The method of claim 7 wherein catalytic material comprises one or more noble metals combined with a reducible oxide.
9. (Original) The method of claim 7 wherein said catalytic material in powdered, granular, or monolithic form.
10. (Currently Amended) A method for detecting the presence of at least one volatile organic compound at a temperature lower than the autoignition temperature of said at least one compound in a heated oxidant-containing media comprising the steps of:  
    providing a heated sensor comprising an uncoated reference thermistor and a coated sensing thermistor, wherein the coating comprises a catalyst comprising platinum and tin oxide;  
    presenting the heated sensor to one of the at least one volatile organic compound in a heated oxidant-containing media and the at least one volatile organic compound in an unheated oxidant-containing media; and  
    measuring the change in temperature of the coated sensing thermistor as compared to reference thermistor, as the at least one volatile organic compound is converted into carbon dioxide and water.
11. (Currently Amended) The method of claim 10 wherein said ~~coating on said sensing thermistor comprises a catalyst comprising one or more~~ comprises at least one additional noble metal ~~metals combined with a reducible oxide.~~
12. (Original) The method of claim 10 wherein said coating on said sensing thermistor comprises a catalytic material in powdered, granular, or monolithic form.

Application No. 10/601,801  
Amendment dated August 29, 2005  
Reply to Office Action dated March 28, 2005

13. (Original) The method of claim 10 wherein said at least one volatile organic compound is selected from the group consisting of hydrocarbons and oxygen-containing compounds.
14. (Original) The method of claim 10 wherein said at least one volatile organic compound is selected from the group consisting of methane, ethane, propane, butane, pentane, alcohol, ketone, ether, epoxide, aldehyde, and carboxylic acid.
15. (Original) The method of claim 10 wherein the alcohol is selected from the group consisting of methanol, ethanol, propanol, and isopropyl alcohol.
16. (Original) The method of claim 10, wherein the reference thermistor is an uncoated 8 kilo-Ohm thermistor and the coated sensing thermistor is a 8 kilo-Ohm thermistor, and the coating on said coated sensing thermistor comprises a catalytic material which exothermically oxidizes volatile organic compounds to carbon dioxide and water.
17. (Original) The method of claim 16 wherein said coating on said sensing thermistor comprises a catalyst comprising one or more noble metals combined with a reducible oxide.
18. (Original) The method of claim 16 wherein said coating on said sensing thermistor comprises a catalytic material in powdered, granular, or monolithic form.